

PATHWAYS ADDITIONAL REFERENCES NOT IN MAGAZINE: Summer 2016

Research Perspective

Precautionary Practices for Lymphedema

By Maria Asdourian, Melissa Skolny, Cheryl Brunelle and Dr. Alphonse Taghian

References

1. Position Statement of the National Lymphedema Network: Lymphedema Risk Reduction Practices [Internet]; c2012 [cited 2016 2/29]. Available from: <http://www.lymphnet.org/pdfDocs/nlnriskreduction.pdf>.
2. Ferguson, CM, Swaroop, MN, Horick N, Skolny MN, Miller CL, Jammallo LS, Brunelle C, O'Toole JA, Salama L, Specht MC, & Taghian, AG. (2016). Impact of ipsilateral blood draws, injections, blood pressure measurements, and air travel on the risk of lymphedema for patients treated for breast cancer. *J Clin Oncol*, 34 (7). 691-698.
3. Ancukiewicz M, Russell TA, O'Toole J, Specht M, Singer M, Kelada A, Murphy CD, Pogachar J, Gioioso V, Patel M, Skolny M, Smith BL, & Taghian AG. (2011). Standardized method for quantification of developing lymphedema in patients treated for breast cancer. *Int J Radiat Oncol Biol Phys*, 79 (5). 1436-1443.
4. Miller CL, Specht MC, Horick N, Skolny MN, Jammallo LS, O'Toole J, Taghian AG. (2013). A novel, validated method to quantify breast cancer-related lymphedema (BCRL) following bilateral breast surgery. *Lymphology*, 46 (2). 64-74.
5. Nielsen I, Gordon S, & Selby A. (2008). Breast cancer-related lymphoedema risk reduction advice: a challenge for health professionals. *Cancer Treat Rev*, 34 (7). 621-628.
6. Winge C, Mattiasson AC, & Schultz I. (2010) After axillary surgery for breast cancer--is it safe to take blood samples or give intravenous infusions? *J Clin Nurs*, 19 (9-10). 1270-1274.
7. Brennan MJ & Weitz J. (1992). Lymphedema 30 years after radical mastectomy. *Am J Phys Med Rehabil*, 71 (1). 12-14.
8. Casley-Smith JR. (1996) Lymphedema initiated by aircraft flights. *Aviat Space Environ Med*, 67 (1). 52-56.
9. Clark B, Sitzia J, & Harlow W. (2005). Incidence and risk of arm oedema following treatment for breast cancer: a three-year follow-up study. *QJM*, 98 (5). 343-348.
10. Ward LC, Battersby KJ, & Kilbreath SL. (2009). Airplane travel and lymphedema: A case study. *Lymphology*, 42 (3). 139-145.

11. Cemal Y, Pusic A, & Mehrara BJ. (2011). Preventative measures for lymphedema: Separating fact from fiction. *J Am Coll Surg*, 213 (4). 543-551.
12. McLaughlin SA, Bagaria S, Gibson T, Arnold M, Diehl N, Crook J, Parker A, Nguyen J. (2013). Trends in risk reduction practices for the prevention of lymphedema in the first 12 months after breast cancer surgery. *J Am Coll Surg*, 216 (3). 380-389.
13. Petrek JA, Senie RT, Peters M, & Rosen PP. (2001). Lymphedema in a cohort of breast carcinoma survivors 20 years after diagnosis. *Cancer*, 92 (6). 1368-1377.
14. Soran A, D'Angelo G, Begovic M, Ardic F, Harlak A, Samuel Wieand H, Vogel VG, Johnson RR. (2006). Breast cancer-related lymphedema—what are the significant predictors and how they affect the severity of lymphedema? *Breast J*, 12 (6). 536–543.
15. Mak SS, Yeo W, Lee YM, Mo KF, Tse KY, Tse SM, Ho FP, & Kwan WH. (2008). Predictors of lymphedema in patients with breast cancer undergoing axillary lymph node dissection in Hong Kong. *Nurs Res*, 57 (6). 416-425.
16. Bevilacqua JL, Kattan MW, Changhong Y, Koifman S, Mattos IE, Koifman RJ, & Bergmann A. (2012). Nomograms for predicting the risk of arm lymphedema after axillary dissection in breast cancer. *Ann Surg Oncol*, 19 (8). 2580–2589.